

Skyline STELLA Display Fabric Care and Cleaning

General Backlit Fabric Graphic Handling

- Handle fabric graphic in a clean area with clean hands or use Skyline white gloves during installation and dismantle.
- If fabric graphic becomes wrinkled, install it on the hardware or adjust and wait for the wrinkle to relax.
- Skyline recommends use of the Skyline Iron (without steam) once the fabric is installed on the frame (other irons may be used at lower temperatures).
- If necessary, steam lightly over the entire graphic without touching the steamer to the fabric. **Touching the fabric with a steamer will create a water mark.**
- Wait 4-8 hours for fabric graphic to dry. Marks from steaming will be visible when wet and will fade when dry but may still be noticeable. Do not wring dry or towel dry.

Helpful Hints

- Creases pull out when installed on the frame, if needed lightly iron or steam installed graphic. Allow damp graphics to air dry.
- Treat stains from the back side of the graphic with a dry cloth, especially when stain is caused by oil.
- Never pack fabric graphics away while wet or damp as they may develop mold.

Stain Treatment

- Before treating stains remove fabric graphic from hardware.
- Remove dry debris with tape to remove build up.
- Using a dry white cloth, dab stained area from the outside edges inward to avoid spreading the stain.
- **Spot cleaning is NOT recommended for the STELLA fabric as stains are likely to get larger. You may consider using unscented baby wipes.**
- Air dry any water spots, do not dab wet spots.

Cleaning

- Fabric graphic can be machine washed if it does not include magnets, non-flexible extrusions or attached hardware.
- Machine wash - quick cycle (25 min) using warm wash with detergent (scent free / bleach free, NO brighteners, NO softeners) and cool rinse.
- Tide detergent is recommended. If pre-treatment is needed for stains use Shout® Spray.
- An industrial washing machine may be necessary for large sized fabric graphics. Machine dry using delicate cycle or line dry.
- Fabric graphics and liners, if applicable, must be completely dry before packaging. Mold can develop if fabric graphic is packaged damp.

Folding

- To avoid creasing, for wide graphics fold fabric along the longest side first and then fold over the shorter side and insert into the provided plastic bag.
- To avoid creasing, for tall narrow graphics, fold along the shorter side first and then fold over the longer side and insert into the provided plastic bag.

Warning: Fabric graphic can shrink if warm to hot heat is used in washing or drying process.

The grid below reflects our recommendations based on testing of 6 cleaning products on food stains, dirt, oil and ink.

GUIDE FOR USE WITH POLYPOPLIN FABRIC GRAPHICS			
Any Spot – Start with	Dirt	Oil	Ink
<ul style="list-style-type: none"> * Tape to remove soil * Dab with dry towel * Wash entire graphic 	<ul style="list-style-type: none"> * Remove with tape or wash entire fabric graphic * Dry on delicate cycle 	<ul style="list-style-type: none"> * Use a dry cloth on the back side of stain * Machine wash graphic with Tide detergent * Dry on delicate cycle 	<ul style="list-style-type: none"> * Shout® Spray pre-treat * Then wash entire graphic * Dry on delicate cycle

No expressed or implied warranty is intended. This information is provided to assist you with the care and maintenance of your Skyline product. Skyline does not warrant against the staining of your fabric product or inability to remove stains should they occur. Skyline Exhibits in no way endorses one cleaning product over another. The grid provided merely reflects our test results.

Skyline Knit Fabric Care and Cleaning – Includes DualFlex, Poly Stretch and Superfecta® Display Fabrics

General Fabric Handling – Includes WindScape®, DesignView®, Fabric Structures, Envoy®, PictureScape®, Table Throws and Exalt®, TradeWinds Fabric Pop-Up, Invita, and Immerse (not backlit), and Podium Case Table Fabric Covers

- Handle fabric in a clean area with clean hands. Products may include a drop cloth and white gloves for use during installation and dismantle.
- Never put fabric away while it is damp.
- For fabric with zippers, zip closed before folding. Fold fabric small enough to fit into nylon storage bag. Keep storage bag for future use.
- If fabric becomes wrinkled, use Skyline Fabric Steamer or cool iron on opposite side of graphic.

Helpful Stain Treatment Hints

- Treat stains as soon as possible for best results.
- Try removing stains with water alone before using cleaning products, as cleaning products can sometimes leave a residue or cause the stain to set.
- If possible, remove fabric from frame before treating stains. Marking the stain with a piece of tape while fabric is still attached to the frame will make it easier to locate after fabric is removed.
- When possible, treat from the back side of the stain, especially when the stain is caused by oil.

Stain Treatment

- Tape is recommended to remove loose or dry debris, such as dirt. Remove as much built up debris as possible.
- Using a white cloth, dab stained area from the outside edges inward to avoid spreading the stain.
- With water alone, dab from the back side of graphic while stretching fabric. Use minimal amounts of water to limit water stains or make the stain area larger.
- When using a cleaning agent, be sure to rinse the area thoroughly with water to prevent residue stains.

Washing or Dry Cleaning vs. Spot Cleaning

- If fabric does not have magnet, extrusions or other hardware attached it can be dry cleaned or machine washed using mild soap and cold water then dried with cool heat or no heat. (zippers and grommets are acceptable to wash). An industrial washing machine may be necessary for large size fabric.
- Fabric and liners if applicable must be completely dry before packaging.

Warning: Washing in warm to hot water, or using warm to hot heat, can cause the fabric to shrink. Fabric can develop mold if packaged damp.

The chart below reflects our recommendations based upon testing of 13 cleaning products on dirt, grease, oil and ink.

GUIDE FOR USE WITH DUALFLEX, SUPERFECTA® or POLY STRETCH FABRIC GRAPHICS			
Printed Graphic Cover – DualFlex, Superfecta® or Poly Stretch fabric			
Any Spot – Start with	Dirt and Grease	Oil*	Ink
1. Water 2. Soap and Cool Water 3. Baby Wipes	Clorox Oxi Magic	Shout Wipes Plus	Baby Wipes

* For best results, treat oil from the back side of the stain.

No expressed or implied warranty is intended. This information is provided to assist you with the care and maintenance of your Skyline product. Skyline does not warrant against the staining of your fabric product or inability to remove stains should they occur. Skyline Displays, Inc. in no way endorses one cleaning product over another. The grid provided merely reflects our test results.

Skyline Performa[®] & PolyFlight Display Fabric Care and Cleaning

General Fabric Graphic Handling – Includes: Fabric Banners, Truss Banners, Clip Banners, Slot Banners, Tube Banners and Backlit fabric applications for Envoy, PictureCube, SkyFlyer, SkyRise and TradeWinds Immerse.

- Handle fabric graphic in a clean area with clean hands or use Skyline white gloves during installation and dismantle.
- If fabric graphic becomes wrinkled, install it on the hardware or adjust and wait for the wrinkle to relax.
- If necessary, use Skyline Fabric Steamer or cool iron on opposite side of graphic.
- Wait 4-8 hours for fabric graphic to dry. Marks from steaming will be visible when wet and will fade when dry.

Helpful Hints

- Treat stains as soon as possible for best results.
- When possible, treat stains from the back side of the graphic with a dry cloth, especially when stain is caused by oil.
- Never pack fabric graphics away while wet or damp as they may develop mold.

Stain Treatment

- Before treating stains remove fabric graphic from hardware.
- Remove dry debris with tape to remove build up.
- Using a dry white cloth, dab stained area from the outside edges inward to avoid spreading the stain.
- Use minimal amounts of water to reduce spotting and prevent making the stain area larger.
- When using a cleaning product, be sure to rinse the area thoroughly with warm water to prevent residue stains.

Cleaning

- Fabric graphic can be machine washed if it does not include magnets, non-flexible extrusions or attached hardware.
- Machine wash using cold water wash with mild soap and cool rinse.
- An industrial washing machine may be necessary for large sized fabric graphics.
- Line dry or machine dry using cool heat or delicate setting.
- Fabric graphics and liners, if applicable, must be completely dry before packaging. Mold can develop if fabric graphic is packaged damp.

Warning: Fabric graphic can shrink if warm to hot heat is used in washing or drying process.

The grid below reflects our recommendations based on testing of 13 cleaning products on dirt, oil and ink.

GUIDE FOR USE WITH POLYPOPLIN FABRIC GRAPHICS			
Any Spot – Start with	Dirt	Oil	Ink
* Water * Soap and Water * Baby Wipes	Baby Wipes	Alcohol or Tide to Go™	Baby Wipes or Shout® Wipes

No expressed or implied warranty is intended. This information is provided to assist you with the care and maintenance of your Skyline product. Skyline does not warrant against the staining of your fabric product or inability to remove stains should they occur. Skyline Exhibits in no way endorses one cleaning product over another. The grid provided merely reflects our test results.

Skyline Eclipse & Blockout Fabric Care and Cleaning

General Fabric Graphic Handling – Includes: Amplify and Immerse Block Out fabric

- Handle fabric in a clean area with clean hands or use Skyline white gloves during installation and dismantle.
- If fabric becomes wrinkled, use Skyline Fabric Steamer or a cool iron on front side of the fabric graphic.
- Before treating stains remove fabric graphic from hardware.

Helpful Hints

- Remove loose debris, such as dirt, with a brush or tape prior to spot treating.
- Treat stains as soon as possible for best results.
- NEVER pack fabric graphics while wet or damp as the ink may transfer to other parts of the graphic and may develop mold.
- Treat from the front side of the graphic.
- Do not use compressed air to spot dry.

Stain Treatment

- Remove loose debris with a brush or tape before using a cleaning product.
- Using a white cloth, dab stained area from the outside edges inward to avoid spreading the stain.
- When using a cleaning product (listed on the chart below) rinse the area thoroughly with water to prevent residue stains.

Cleaning

- Fabric graphic can be machine washed if it does not have magnets, non-flexible extrusions or hardware attached that could damage the light block coating when tumbling.
- Machine wash using mild soap and cold water.
- Line dry or machine dry on delicate cycle with cool heat or no heat.
- Industrial washing machine may be necessary for large fabric graphics.
- Fabric must be completely dry before packaging to prevent mold or ink transfer.

Warning: Fabric can shrink, or the extrusions can deform if warm to hot heat is used in washing or drying process. For best results line dry or tumble only on cool dryer setting. Mold can develop, or ink transfer from one part of the banner to another, if fabric graphic is packaged damp.

The grid below reflects our recommendations based on testing of 13 cleaning products on dirt, oil, and ink.

GUIDE FOR USE WITH BLOCK OUT FABRIC GRAPHIC			
Any Spot – Start with	Dirt	Oil	Ink
<ol style="list-style-type: none"> 1. Brush or Tape 2. Water 3. Soap and Water 4. Baby Wipes 	<ul style="list-style-type: none"> • Brush or Tape • Baby Wipes 	<ul style="list-style-type: none"> • Tide to Go™ • Never use alcohol or petroleum-based cleaning products on this fabric. These products dissolve the light blocker and permanently stain the fabric. 	<ul style="list-style-type: none"> • Shout® • Shout® Wipes • Baby Wipes

No expressed or implied warranty is intended. This information is provided to assist you with the care and maintenance of your Skyline product. Skyline does not warrant against the staining of your fabric product or inability to remove stains should they occur. Skyline Displays, Inc. in no way endorses one cleaning product over another. The grid provided merely reflects our test results.

Tide to Go is a trademark of Procter & Gamble; Shout® is a registered trademark of S.C. Johnson & Son, Inc.